

Centralized model predictive control with distributed adaptation

Prabhat K. Mishra, Tixian Wang, Mattia Gazzola, Girish Chowdhary

Abstract—A centralized model predictive controller (MPC), which is unaware of local uncertainties, for an affine discrete time nonlinear system is presented. The local uncertainties are assumed to be matched, bounded and structured. In order to encounter disturbances and to improve performance an adaptive control mechanism is employed locally. The proposed approach ensures input-to-state stability of closed-loop states and convergence to the equilibrium point. Moreover, uncertainties are learnt in terms of the given feature basis by using adaptive control mechanism. In addition, hard constraints on state and control are satisfied.

I. INTRODUCTION

Multi-agent systems are often characterized by individual entities that have only partial access to sensory and environmental data, and that have limited communication or computational capabilities, rendering the enactment of a successful centralized, global goal-directed strategy challenging [1], [2]. This is a recurrent scenario shared by a number of systems and applications. For instance, in marine search operations, small unmanned submarines cannot access global positioning system (GPS) while underwater. And although they might be able to exchange information with a fully equipped surface vessel for centralized coordination, their typically limited bandwidth communication may impair operation effectiveness [3]. In agricultural robotics also, ground robots operate in crop fields where they receive noisy GPS data, and while they can communicate with a centralized computer station outside the field, they typically do so with limited and sometimes unreliable bandwidth [4], [5].

Similar conditions may be encountered in biological systems as well. Cephalopods, and in particular octopuses, have recently received significant attention in this regard. Indeed, octopuses exhibit the remarkable ability to coordinate, through a relatively limited amount of computing power, virtually infinite degrees of freedom, across eight arms and throughout their compliant, distributed bodies, giving rise to highly complex behaviors [6], [7]. Although the algorithmic nature of their embodied control system is unknown, it might be reasonable to think of it in terms of generic commands issued by the brain, that are then adapted by the individual

arms' neural infrastructure based on local conditions. This is an agile strategy in which the brain does not need to know everything and does not have to detail every low level instruction. Instead, it can more simply 'draft' commands that are locally refined by the arms (agents) themselves. As a consequence, no component of the system needs complete information, thus limiting the need for computing resources.

Inspired by this paradigm, in this article we present a framework in which a centralized controller responsible for goal-directed global coordination and constraint satisfaction is enriched with distributed adaptation mechanisms to deal with locally observed uncertainties. Our proposed approach employs tube-based model predictive control (MPC) [8] as a centralized controller to satisfy physical constraints and to achieve an overall objective along with local adaptive control mechanism [9] to deal with distributed uncertainties. The adaptive control mechanism allows the convergence of closed-loop states to an equilibrium point in addition to input-to-state stability (ISS) achieved due to MPC.

MPC techniques are well known for their capability to handle practical constraints at the synthesis stage while optimizing some suitably defined objective function. In many cases the predicted behavior of the system based on nominal model and the actual behavior are not identical due to the presence of uncertainties. Therefore, it is desirable to design a robust control strategy that can guarantee the constraint satisfaction for all disturbance realizations. There are broadly two approaches that deal with bounded uncertainties in the MPC framework: min-max MPC [10] and tube-based MPC [8]. The first approach is based on iteratively solving online an optimal control problem, which involves the minimization of some cost subject to satisfaction of constraints for all possible disturbance sequences. In contrast, tube-based MPC is based on iteratively solving online an optimal control problem for nominal dynamics with tightened constraints, and therefore has modest computational requirements. In this approach all trajectories of a given uncertain system lie in a bounded neighborhood (the tube) of the nominal trajectory (center of the tube), which in turn implies ISS of the closed-loop system. Satisfaction of constraints by uncertain systems is ensured by tightening the constraints for the nominal system [11], [12].

MPC can be employed along with some other suitable control technique [13]–[15]. Adaptive control schemes and MPC are employed for linear [13] and nonlinear [14] systems to deal with state-dependent uncertainties. For example, min-max MPC is employed to stabilize the system together with an adaptive estimator to predict the support set for uncertainties, resulting in uniform ultimate boundedness of the

We gratefully acknowledge financial support from ONR MURI N00014-19-1-2373 and joint CPS USDA grant 2018-67007-28379.

P. K. Mishra, T. Wang and G. Chowdhary are with Coordinated Science Laboratory, University of Illinois at Urbana Champaign (UIUC), USA. {pmishra,tixianw2, girishc}@illinois.edu

M. Gazzola is with the Department of Mechanical Science and Engineering, and National Center for Supercomputing Applications, University of Illinois at Urbana Champaign (UIUC), USA. {mgazzola@illinois.edu}

The first author is thankful to Utsav Sadana and Prof. Prashant Mehta for helpful discussions.

closed-loop states [14]. MPC is also used with the integral sliding mode (ISM) control [15], where ISM deals with local matched uncertainties and MPC functions as a remote controller when certain triggering conditions are satisfied. This approach proves ISS of the closed-loop system.

Although MPC can be applied to control a continuous process, MPC based controllers can be invoked only at discrete instants of time [15]. Further, it is argued [9] that the adaptive control theory developed for continuous time dynamical systems cannot be directly applied to discrete time ones. In particular, the weight update law needs to be modified for discrete time dynamical systems. By numerical experiments it is demonstrated that a native discrete adaptive controller outperforms the discretized version of a continuous adaptive controller [16]. To the best of our knowledge a framework in which a discrete adaptive controller interacts with MPC only at discrete instants of time is missing in literature. The planning-learning framework presented in [17] for cooperative multi-agent systems is also relevant to the context of the present article. In [17], each agent learns different models and shares some relevant information with the team. Differently from [17], here we consider non-interacting agents with known dynamics, MPC is employed for planning, and adaptive control for learning only the disturbance weights.

The contributions of this article are: (a) a framework that deals with nominal system dynamics centrally and disturbances locally; (b) the guarantee of convergence of states to an equilibrium point in addition to ISS while respecting the practical constraints.

This article is structured as follows. We present the system setup and problem formulation in Section II. We present important notions of adaptive control and tube-based MPC in Section III and Section IV, respectively. Our algorithm and its stability are presented in Section V. We validate our theoretical results by numerical experiments in Section VI and conclude in Section VII. Our proofs are given in the appendix.

II. PROBLEM SETUP

We let \mathbb{R} denote the set of real numbers, \mathbb{N}_0 the set of non-negative integers and \mathbb{Z}_+ the set of positive integers. For a given vector v and positive semi-definite matrix $M \geq \mathbf{0}$, $\|v\|_M^2$ is used to denote $v^\top M v$. For a given matrix A , the trace, the largest eigenvalue, pseudo-inverse and Frobenius norm are denoted by $\text{tr}(A)$, $\lambda_{\max}(A)$, A^\dagger and $\|A\|_F$, respectively. By notation $\|A\|$ and $\|A\|_\infty$, we mean the standard 2-norm and ∞ -norm, respectively, when A is a vector, and induced 2-norm and ∞ -norm, respectively, when A is a matrix. A vector or a matrix with all entries 0 is represented by $\mathbf{0}$ and I is an identity matrix of appropriate dimensions.

Let us consider the discrete time dynamical system

$$x_{t+1} = f(x_t) + g(x_t)(u_t + h(x_t)), \quad (1)$$

where

$$((1)\text{-a}) \quad x_t \in \mathcal{X} \subset \mathbb{R}^d, \quad u_t \in \mathbb{U} := \{v \in \mathbb{R}^m \mid \|v\|_\infty \leq u_{\max}\},$$

((1)-b) $f : \mathbb{R}^d \rightarrow \mathbb{R}^d$, $g : \mathbb{R}^d \rightarrow \mathbb{R}^m$ are given Lipschitz continuous functions with Lipschitz constant L_f and L_g , respectively,

((1)-c) $h(x_t)$ is the state dependent matched structured uncertainty at time t such that $g(x_t)h(x_t) \in \mathbb{W} := \{v \in \mathbb{R}^d \mid \|v\|_\infty \leq w_{\max}\}$ for every $x_t \in \mathbb{R}^d$. We assume that a feature basis function $\phi : \mathbb{R}^d \rightarrow \mathbb{R}^q$ is given such that $h(x_t) = W\phi(x_t)$ where $W \in \mathbb{R}^{m \times q}$ is an unknown matrix.

((1)-d) We further assume that there exist $\delta_g, \delta_\phi > 0$ such that $\|g(x)\| \leq \delta_g$ and $\|\phi(x)\| \leq \delta_\phi$ for each $x \in \mathcal{X}$.

((1)-e) We have enough control authority, so that $u_{\max} > 2\|W\|_F \delta_\phi$.

Remark 1: Lets consider a system of M agents in which each agent is characterized by a different dynamics and different structure of matched uncertainties. For instance, the agent i has the dynamics of the following form:

$$x_{t+1}^{(i)} = f^{(i)}(x_t^{(i)}) + g^{(i)}(x_t^{(i)}) \left(u_t^{(i)} + h^{(i)}(x_t^{(i)}) \right), \quad (2)$$

where $f^{(i)}, g^{(i)}$ and $h^{(i)}$ can be defined as in (1) for each $i = 1, \dots, M$. We assume that there is no direct interaction among agents, and a centralized controller has a copy of the dynamics of the individual sub-systems but is unaware of the uncertainties associated with individual agents. Therefore, it is reasonable to equip each agent with some adaptation technique to counter the locally observed disturbances.

PROBLEM STATEMENT 1: Present a stabilizing control framework for (1), which can be generalized to non-interacting, multi-agent systems (2), respects physical constraints ((1)-a), optimizes a given performance index, and learns uncertainties in terms of given feature basis functions for each agent.

Our proposed solution is based on constraint satisfaction and cost minimization capabilities of MPC, and disturbance rejection capability of the adaptive control. Since agents are non-interacting and an overall objective needs to be achieved, we consider MPC as a centralized controller. Then, for each agent i , the control $u_t^{(i)}$ at time t is defined as:

$$u_t^{(i)} = u_t^{a(i)} + u_t^{m(i)}, \quad (3)$$

where $u_t^{a(i)}$ is the adaptive component and $u_t^{m(i)}$ is the MPC component. An illustration of this architecture for two adaptive agents is provided in Fig. 1. Each agent knows its feature basis function and computes its adaptive control by using the weight update law defined in Section III. Each agent transmits its state information and the adaptive control component to the centralized controller, and the centralized controller transmits the corresponding MPC component to each agent. In rest of the manuscript, we consider only one agent for notational simplicity. We revisit the example of two agents again in the numerical experiment section.

Following (3), the control u_t for a single agent is

$$u_t = u_t^a + u_t^m, \quad (4)$$

where u_t^a and u_t^m are the adaptive and MPC components. The centralized MPC controller employs only the nominal




Fig. 1: Two adaptive agents are shown along with a centralized MPC controller. The states of individual agents and the adaptive control components are transmitted to the centralized MPC controller. The MPC control components are transmitted to the individual adaptive agents.

dynamics of (1) which is given below for easy reference

$$x_{t+1} = f(x_t) + g(x_t)u_t^m := \tilde{f}(x_t, u_t^m). \quad (5)$$

Therefore, the dynamics (1) can be written as

$$x_{t+1} = \tilde{f}(x_t, u_t^m) + g(x_t)(u_t^a + h(x_t)). \quad (6)$$

The centralized controller generates reference state and control trajectories off-line for (each) agent by using the nominal dynamics (5). To ensure that actual constraints can be satisfied by (each) agent (6), the central controller appropriately tightens the constraints (Section IV). These reference trajectories are used by the centralized MPC to generate control sequences for (6) so that the state and control sequences stay within tubes around the nominal reference trajectory. The MPC components computed by the centralized controller are transmitted to (each) agent at every time step.

In a broad sense, the MPC component u_t^m is responsible for ISS of closed-loop states in the presence of bounded disturbances, and the adaptive control component u_t^a is responsible for disturbance rejection by adapting to the disturbance weight W . If $g(x_k) = \mathbf{0}$ for some $x_k \in \mathcal{X}$ then $g(x_{k+1}) = g(f(x_k))$. If in addition $g \circ f(x_k)$ is also $\mathbf{0}$ then the dynamical system (1) becomes uncontrollable for all $t \geq k$. Therefore, it is reasonable to make the following assumption:

Assumption 1: If $g(x) = \mathbf{0}$ for some $x \in \mathcal{X} \setminus \{0\}$ then $g \circ f(x) \neq \mathbf{0}$.

In the next section we design the adaptive agent.

III. ADAPTIVE AGENT

In the present article, we adopt the weight update law of [9] to learn the weight W with help of an adaptive controller $u_t^a = K_t \phi(x_t)$. The dynamics (5) can be written as

$$x_{t+1} = \tilde{f}(x_t, u_t^m) + g(x_t)(K_t + W)\phi(x_t). \quad (7)$$

For some $\varepsilon > 0$, $\Gamma = \Gamma^\top > 0$, $\lambda_{\max}(\Gamma) < 2$, the following weight update law adapted from [9] is employed here:

$$K_{t+1} = K_t - \frac{\Gamma g(x_t)^\top (x_{t+1} - \tilde{f}(x_t, u_t^m)) \phi(x_t)^\top}{\varepsilon + \|\phi(x_t)\|^2}, \quad (8)$$

when $g(x_t) \neq 0$, otherwise $K_{t+1} = K_t$. Let us define $\tilde{u}_t := (K_t + W)\phi(x_t)$ and $\tilde{K}_t := K_t + W$, then by adding W to both sides of (8) the weight update law can be written as

$$\tilde{K}_{t+1} = \tilde{K}_t - \frac{\Gamma \tilde{u}_t \phi(x_t)^\top}{\varepsilon + \|\phi(x_t)\|^2}. \quad (9)$$

Since \tilde{u}_t is not known, (9) is used only for analysis. We have the following result:

Lemma 1: Let us consider the dynamics (7) and the weight update law (8), then $\|g(x_t)\tilde{u}_t\| \rightarrow 0$ as $t \rightarrow \infty$.

A proof of Lemma 1 is given in the appendix. Further, the adaptive control component is shown to be bounded in the following Lemma:

Lemma 2: The adaptive component of control u_t^a is bounded by $u_{\max}^a := \left(\sqrt{\frac{\lambda_{\max}(\Gamma)}{\lambda_{\min}(\Gamma)}} + 1 \right) \|W\|_F \delta_\phi$ for all t . Further, $\|\tilde{K}_t\|_F \leq \sqrt{\frac{\lambda_{\max}(\Gamma)}{\lambda_{\min}(\Gamma)}} \|W\|_F$ for all t .

A proof of Lemma 2 is given in the appendix.

Remark 2: It is immediate to note from Lemma 2 that

$$\|g(x_t)\tilde{u}_t\| \leq \delta_g \sqrt{\frac{\lambda_{\max}(\Gamma)}{\lambda_{\min}(\Gamma)}} \|W\|_F \delta_\phi := w'_{\max} \text{ for all } t.$$

IV. CENTRALIZED CONTROLLER

In this section we provide a summary and important results of tube-based MPC relevant to the context of the present article. The discussion closely follows [8] with differences related to the adaptive controller discussed in Section III. We note that since a control part is used by the adaptive controller, full control authority is not available to MPC. In addition, although the disturbance in dynamical system (1) at time t is $g(x_t)h(x_t)$, the disturbance observed by MPC is $g(x_t)\tilde{u}_t$ (7). We clarify these distinctions in the following.

A. Offline reference governor

Let us fix an optimization horizon $N \in \mathbb{Z}_+$, and let $Q \geq \mathbf{0}$ and $R > \mathbf{0}$ be given positive semi-definite and positive definite matrices, respectively. In view of Lemma 2, we fix Γ such that $u_{\max} > u_{\max}^a$ and define a set

$$\mathcal{U}' := \{v \in \mathbb{R}^m \mid \|v\|_\infty \leq u_{\max} - u_{\max}^a\}.$$

The offline reference governor consists of the following optimization problem without terminal cost but with a terminal constraint:

$$\begin{aligned} \min_{(u_t^r)_{t=0}^{N-1}} & \sum_{i=0}^{N-1} \|x_i^r\|_Q^2 + \|u_i^r\|_R^2 \\ \text{subject to} & x_0^r = x_0, x_N^r = \mathbf{0} \\ & \text{for } i = 0, \dots, N-1 \\ & x_{i+1}^r = \tilde{f}(x_i^r, u_i^r), \\ & x_i^r \in \mathcal{X}_r \subset \mathcal{X}, u_i^r \in \mathcal{U}_r \subset \mathcal{U}' \end{aligned} \quad (10)$$

The tightened constraints $x_i^r \in \mathcal{X}_r$ and $u_i^r \in \mathcal{U}_r := \{v \in \mathbb{R}^m \mid \|v\|_\infty \leq u_{\max}^r\}$ are used in the reference governor design for a nominal dynamics so that the actual constraints can be satisfied for uncertain system (1). We refer readers to [11], [12], [18] for recent results on constraint tightening. In this article, we follow the approach of [8, Section 7] for the determination of \mathcal{X}_r and \mathcal{U}_r . We can define reference sequences for state and control as follows:

$$(x_t^r)_{t \in \mathbb{N}_0} := \{(x_t^r)_{t=0}^N, 0, \dots\}, \quad (11)$$

$$(u_t^r)_{t \in \mathbb{N}_0} := \{(u_t^r)_{t=0}^{N-1}, 0, \dots\}. \quad (12)$$

B. Online reference tracking

In this section, we consider the state and control reference trajectories defined in (11) and (12), respectively, for nominal system, and present a reference tracking MPC for actual system. Let

$$c_s(x_{t+i|t}, u_{t+i|t}) := \|x_{t+i|t} - x_{t+i}^r\|_Q^2 + \|u_{t+i|t} - u_{t+i}^r\|_R^2$$

be the cost per stage at time $t+i$ predicted at time t . Let $c_f'(\cdot)$ be a local control Lyapunov function for the nominal system, defined by $c_f'(x) := x^\top Q_f x$ for some $Q_f > 0$. Let $\mathcal{X}_f := \{x \mid c_f'(x) \leq \alpha\}$ for some $\alpha > 0$ be a terminal set. In the tube-based MPC approach, the terminal cost functional is defined such that $c_f(\cdot) = \beta c_f'(\cdot)$ for some $\beta \geq 1$. We have the following assumption:

Assumption 2: There exists a control $u' \in \mathbb{U}'$ such that the following holds

$$c_f(\tilde{f}(x, u')) + c_s(x, u') - c_f(x) \leq 0 \quad (13)$$

for every $x \in \mathcal{X}_f$.

We define the following cost

$$V(x_t, (u_{t+i|t})_{i=0}^{N-1}) := c_f(x_{t+N|t}) + \sum_{i=0}^{N-1} c_s(x_{t+i|t}, u_{t+i|t}) \quad (14)$$

and the following optimization problem is solved iteratively online:

$$\begin{aligned} V_m(x_t) := & \min_{(u_{t+i|t})_{i=0}^{N-1}} V(x_t, (u_{t+i|t})_{i=0}^{N-1}) \\ \text{subject to} & \quad x_{t|t} = x_t \\ & \quad \text{for } i = 0, \dots, N-1 \\ & \quad x_{t+i+1|t} = \tilde{f}(x_{t+i|t}, u_{t+i|t}) \\ & \quad u_{t+i|t} + u_t^a \in \mathbb{U}. \end{aligned} \quad (15)$$

Note that the above optimal control problem does not involve terminal constraints. The terminal constraint set \mathcal{X}_f is defined only for the purpose of analysis. Let $X^c(x_t^r)$ be a level set of radius c around x_t^r at time t , defined by $X^c(x_t^r) := \{x \mid V_m(x_t) \leq c\}$. For any $c > 0$, $\beta \geq \frac{c}{\alpha}$, for all $x_t \in X^c(x_t^r)$ implies the terminal state $x_{t+N|t} \in \mathcal{X}_f$ [8, Proposition 3.16]. A tube is defined as a sequence of level sets

$$X_c := \{X^c(x_0^r), X^c(x_1^r), X^c(x_2^r), \dots\}. \quad (16)$$

The optimal value of (15) satisfies the following property:

Lemma 3: There exist $c_1, c_2 > 0$ such that

$$c_1 \|x_t - x_t^r\|^2 \leq V_m(x_t) \leq c_2 \|x_t - x_t^r\|^2, \quad (17)$$

for every $x_t \in \mathbb{R}^d$ and $t \in \mathbb{N}_0$.

A proof of Lemma 3 is given in the appendix. Let us define a set

$$\mathbb{W}' := \{v \in \mathbb{R}^d \mid \|v\| \leq w'_{\max}\}$$

where w'_{\max} is defined in Remark 2. Since the disturbance observed by MPC belongs to the set \mathbb{W}' , we recast the following results for completeness.

Lemma 4: [8, Proposition 3] There exists $c_3 > 0$ such that $x_t \mapsto V_m(x_t)$ is Lipschitz continuous with Lipschitz constant c_3 , when $x_t \in X_c(x_t^r) + \mathbb{W}'$ for every t .

Lemma 5: [8, Proposition 2] If Assumption 2 is satisfied, then for every $x_t \in X_c + \mathbb{W}'$ the following holds

$$V_m(x_{t+1|t}) - V_m(x_t) \leq -c_s(x_t, u_{t|t}) \text{ for all } t. \quad (18)$$

V. ALGORITHM AND STABILITY

In this section, we present our algorithm and provide our main result on stability.

Algorithm 1 Centralized MPC with distributed adaptation

Require: x_0, ϕ

- 1: choose Γ
 - 2: initialize $K_0 = \mathbf{0}$, $t = 0$
 - 3: **for** each t **do**
 - 4: compute $u_t^a = K_t \phi(x_t)$
 - 5: solve (15), set $u_t^m = u_{t|t}$
 - 6: apply $u_t = u_t^m + u_t^a$ to the system and measure x_{t+1}
 - 7: compute K_{t+1} by the weight update law (8)
-

We have the following main results:

Theorem 1: Consider the dynamical system (1) and let Assumption 2 hold. Then under the control computed by the Algorithm 1 the closed-loop system (1) is ISS and $\|x_t\| \rightarrow 0$ as $t \rightarrow \infty$.

A proof of Theorem 1 is given in the appendix. In our approach the stabilizing controller and the associated Lyapunov-like function do not satisfy conditions 2 and 3 of [9, Theorem 1]. Therefore, we used a different notion of stability. We can obtain similar results while satisfying state and control constraints at the expense of an extra condition on $g(\cdot)$.

Proposition 1: Consider the dynamical system (1) and let Assumption 2 hold. Let $g(\mathbf{0}) = \mathbf{0}$. Then the control computed by Algorithm 1 guarantees that $(x_t, K_t) \rightarrow \mathcal{M} := \{(x, K) \in \mathbb{R}^d \times \mathbb{R}^{m \times q} \mid x = 0, K_{t+1} = K_t\}$ as $t \rightarrow \infty$.

A proof of Proposition 1 is given in the appendix.

Remark 3: Our main result on stability in Theorem 1 is based on Lipschitz continuity of the value function of MPC. Since in the proposed framework MPC considers both the adaptive control component and matched uncertainties as disturbances, we utilized the key technical lemma [19, Lemma 6.2.1] of adaptive control to show that the disturbance is vanishing with time in Lemma 1. This way we are able to achieve not only ISS, but also convergence of states to the equilibrium while satisfying state and control constraints.

Remark 4: Stability result of [9, Theorem 1] is based on partial stability via a Lyapunov-like function without using the Key Technical Lemma. In contrast to [9, Theorem 1], we have state and control constraints, and we do not assume the existence of a stabilizing controller and associated Lyapunov-like function. Therefore, we cannot guarantee the satisfaction of conditions 2 and 3 of [9, Theorem 1] a priori. However, we are able to prove similar stability result by adding an extra term in the candidate Lyapunov function on the expense of an extra condition on $g(\cdot)$.

VI. NUMERICAL EXPERIMENT

In this section we present two examples to corroborate our theoretical results. In the first example (Fig. 2), we compare our approach with tube-based MPC [8] and demonstrate that our approach achieves convergence of states to the equilibrium point without oscillations. We construct our second example (Fig. 3) to demonstrate the capability of our control architecture to adapt to local changes. We consider two agents and a centralized controller and through a numerical experiment show the advantage of adding adaptation in control actions at the local agent. In both examples, we use MATLAB based software packages CasAdi [20] and mpctools [21] for simulations.

Example 1: We consider the model and parameters of stirred tank reactor which was considered as a benchmark model in [8]. The example considers a nonlinear chemical reaction described by product concentration ($y(t)$) and temperature ($z(t)$) with a nonlinear periodic disturbance as follows:

$$\begin{aligned} \dot{y}_t &= \theta_1(1 - y_t) - \theta_2 y_t e^{\frac{\theta_3}{z_t}} \\ \dot{z}_t &= \theta_1(\theta_4 - z_t) + \theta_2 y_t e^{\frac{\theta_3}{z_t}} - \theta_5(z_t - \theta_6)(u_t + w_t) \end{aligned} \quad (19)$$

where $x_t = [y_t \ z_t]^\top$, $\theta_1 = 0.05$, $\theta_2 = 300$, $\theta_3 = -5$, $\theta_4 = 0.3947$, $\theta_5 = 0.117$, $\theta_6 = 0.3816$. In the above model $w_t = W \sin t$ is a time varying disturbance with $W = 2$ is weight, which is unknown to the controller and $\sin t$ is considered as a known basis function. The continuous time dynamic model (19) is discretized by using the sampling interval 0.5 seconds within the MATLAB script and Algorithm 1 is employed to steer the initial state $x_0 = [0.9831 \ 0.3918]^\top$ to a locally unstable equilibrium state $x_e = [0.2632 \ 0.6519]^\top$. The equilibrium control is computed to be $u_e = 0.7583$ as in [8]. The cost functional and the reference trajectories are appropriately modified for the non-zero equilibrium. The state and control sets are

$$\mathcal{X} = [0, 2] \times [0, 2], \text{ and } \mathcal{U} = [0, 2].$$

The constraint sets for the offline reference governor are $\mathcal{X}_r = \mathcal{X}$, $\mathcal{U}_r = [0.02, 2] \subset \mathcal{U}$ and the terminal state x_N^r is chosen to be x_e . The simulation parameters are chosen to be $N = 40$, $\Gamma = 1.5$, $\varepsilon = 0.1$, $Q = 0.5I$, $R = 0.5$, $Q_f = 10^5 I$. We compare the performance of the tube-based MPC controller [8] and our proposed controller, using the same set of parameters under the same scenario. Our numerical results are illustrated in Fig. 2, which demonstrate that the tube-based MPC controller produces small oscillations around the equilibrium point. Note that when the same tube-based MPC controller is equipped with the adaptive mechanism from our Algorithm 1, the closed-loop states asymptotically converge to the equilibrium without violating state and control constraints.

Example 2: In this second example we seek to demonstrate the benefit of local adaptation. For this purpose, we consider two aircrafts subject to wing-rock dynamics, which are adverse lateral-longitudinal dynamics experienced at high




Fig. 2: The proposed approach ensures asymptotic convergence of the closed-loop states to the equilibrium point.

angle of attack. Wing-rock is a benchmark dynamical system that has been widely used to evaluate adaptive controllers. The key difference here are two folds, first we simulate the scenario where a common controller is synthesized assuming nominal dynamics, but each aircraft must adapt to its unknown individual operating conditions; second, unlike existing adaptive control results [22]–[24] we require that the control and system states remain bounded in a pre-specified constraint set. This problem can be posed as that of a centralized controller synthesized with the commonly known nominal dynamics and a local adaptation capability as in Fig. 1. For both agents, the system matrix pair (A, B) and the feature basis function $\phi(\cdot)$ are the same but the initial conditions and the disturbance weights are different. Letting δ_t denote the roll angle, and p_t denote the roll rate, the state of the wing-rock dynamics model is $x_t := [\delta_t \ p_t]^\top$ at time t . We discretized the wing-rock model used in [22] with a sampling interval of 0.02 seconds:

$$x_{t+1}^{(i)} = Ax_t^{(i)} + B(u_t^{(i)} + W^{(i)}\phi(x_t^{(i)})), \quad (20)$$

for $i = 1, 2$, where $A = \begin{bmatrix} 1 & 0.02 \\ 0 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 0.0002 \\ 0.02 \end{bmatrix}$, $W^{(1)} = 7\bar{W}$, $W^{(2)} = 6\bar{W}$, and

$$\bar{W} = [0.1414 \ 0.5504 \ -0.0624 \ 0.0095 \ 0.0215].$$

The feature basis function $\phi(\cdot)$ is saturated by a standard saturation function to meet the requirement of bounded disturbances as $\phi(x) = \text{sat}(\beta(x))$, where $\text{sat}(\cdot)$ is a standard saturation function with the threshold 0.5 and $\beta(x) = [x_1 \ x_2 \ |x_1|x_2 \ |x_2|x_1 \ x_1^3]^\top$.

The goal is to stabilize the wing-rock dynamics by driving the states to the origin from arbitrarily chosen initial states




Fig. 3: Norm of states for both agents and their corresponding reference trajectory.

$x_0^{(1)} = [-2 \ 3]^\top$ and $x_0^{(2)} = [3 \ -3.5]^\top$, respectively. For both agents, sets within which the the state and control are to be constrained are given as

$$\mathcal{X} = [-4, 4] \times [-4, 4], \text{ and } \mathcal{U} = [-10, 10].$$

We use the MATLAB based software package MPT 3.0 [25] to compute the polytopes needed for the constraint tightening. The simulation parameters are chosen to be same for both agents with $N = 100$, $\Gamma = 0.1$, $\varepsilon = 1$, $Q = I$, $R = 0.1$. Figure 3, depicts the norm of system states obtained by the Algorithm 1 and it is compared with the reference trajectory obtained in Section IV-A. Figure 3 demonstrates that the closed-loop states of the first agent converge to the reference trajectory when controller is designed by our approach while the MPC based controller, which does not have the adaptive control component does not converge. Since the second agent has smaller disturbance weights, its closed-loop states converge to the close vicinity of origin even when the adaptive control component is absent, however our approach results in comparatively faster convergence. In Fig. 4, we show that the control signal $\tilde{u}_t = (K_t + W)\phi(x_t)$ defined in (7) converges to 0 for both agents. Note that since the second agent has smaller disturbance weights, as expected, it has relatively smaller oscillations before the convergence.

VII. EPILOGUE

We presented an algorithm that combines MPC and adaptive control mechanism, and ensures stability of the closed-loop states. We compared our approach with tube-based MPC. The proposed framework is limited to bounded, matched and structured uncertainties. Some suitable combinations of adaptive control techniques and MPC with required modifications can be employed within the framework of the present approach to relax our assumptions on uncertainties and to achieve a different control objective. The proposed approach may be extended to the settings of unreliable channels and/or interacting agents.




Fig. 4: \tilde{u}_t converges to 0 for both agents

REFERENCES

- [1] A. Dorri, S. S. Kanhere, and R. Jurdak, "Multi-agent systems: A survey," *IEEE Access*, vol. 6, pp. 28 573–28 593, 2018.
- [2] R. R. Negenborn, B. DeSchutter, and J. Hellendoorn, "Multi-agent model predictive control: A survey," *arXiv preprint arXiv:0908.1076*, 2009.
- [3] A. J. Murphy, M. J. Landamore, and R. W. Birmingham, "The role of autonomous underwater vehicles for marine search and rescue operations," *Underwater Technology*, vol. 27, no. 4, pp. 195–205, 2008.
- [4] W. McAllister, D. Osipychiev, A. Davis, and G. Chowdhary, "Agbots: Weeding a field with a team of autonomous robots," *Computers and Electronics in Agriculture*, vol. 163, p. 104827, 2019.
- [5] R. Shamshiri, C. Weltzien, I. A. Hameed, I. Yule, T. Grift, S. K. Balasundram, L. Pitonakova, D. Ahmad, and G. Chowdhary, "Research and development in agricultural robotics: A perspective of digital farming," *International Journal of Agricultural and Biological Engineering*, vol. 11, no. 4, pp. 1–14, 2018.
- [6] M. Calisti, F. Corucci, A. Arienti, and C. Laschi, "Bipedal walking of an octopus-inspired robot," in *Conference on Biomimetic and Biohybrid Systems*. Springer, 2014, pp. 35–46.
- [7] J. Mather, "What is in an octopuss mind," *Animal Sentience*, vol. 26, no. 1, 2019.
- [8] D. Q. Mayne, E. C. Kerrigan, E. J. Van W., and P. Falugi, "Tube-based robust nonlinear model predictive control," *International Journal of Robust and Nonlinear Control*, vol. 21, no. 11, pp. 1341–1353, 2011.
- [9] T. Hayakawa, W. M. Haddad, and A. Leonessa, "A Lyapunov-based adaptive control framework for discrete-time non-linear systems with exogenous disturbances," *International Journal of control*, vol. 77, no. 3, pp. 250–263, 2004.
- [10] D. Limón, T. Alamo, F. Salas, and E. F. Camacho, "Input to state stability of min-max mpc controllers for nonlinear systems with bounded uncertainties," *Automatica*, vol. 42, no. 5, pp. 797–803, 2006.
- [11] J. Köhler, M. A. Müller, and F. Allgöwer, "A novel constraint tightening approach for nonlinear robust model predictive control," in *American Control Conference*. IEEE, 2018, pp. 728–734.
- [12] T. L. M. Santos, A. D. Bonzanini, T. A. N. Heirung, and A. Mesbah, "A constraint-tightening approach to nonlinear model predictive control with chance constraints for stochastic systems," in *American Control Conference*. IEEE, 2019, pp. 1641–1647.
- [13] M. Bujarbaruah, S. H. Nair, and F. Borrelli, "A semi-definite programming approach to robust adaptive MPC under state dependent uncertainty," *arXiv preprint arXiv:1910.04378*, 2019.
- [14] X. Wang, L. Yang, Y. Sun, and K. Deng, "Adaptive model predictive control of nonlinear systems with state-dependent uncertainties," *International Journal of Robust and Nonlinear Control*, vol. 27, no. 17, pp. 4138–4153, 2017.
- [15] G. P. Incremona, A. Ferrara, and L. Magni, "Asynchronous networked

MPC with ISM for uncertain nonlinear systems,” *IEEE Trans. on Auto. Control*, vol. 62, no. 9, pp. 4305–4317, 2017.

- [16] M. Elnaggar, M. S. Saad, H. A. Fattah, and A. L. Elshafei, “Discrete time l_1 adaptive control for systems with time-varying parameters and disturbances,” in *55th Conference on Decision and Control*. IEEE, 2016, pp. 2115–2120.
- [17] N. K. Ure, G. Chowdhary, Y. F. Chen, J. P. How, and J. Vian, “Distributed learning for planning under uncertainty problems with heterogeneous teams,” *Journal of Intelligent & Robotic Systems*, vol. 74, no. 1-2, pp. 529–544, 2014.
- [18] M. E. Villanueva, X. Feng, R. Paulen, B. Chachuat, and B. Houska, “Convex enclosures for constrained reachability tubes,” *IFAC-PapersOnLine*, vol. 52, no. 1, pp. 118–123, 2019.
- [19] G. C. Goodwin and K. S. Sin, *Adaptive filtering prediction and control*. Dover Publications Inc., Mineola, New York, 2009.
- [20] J. A. E. Andersson, J. Gillis, G. Horn, J. B. Rawlings, and M. Diehl, “CasADi – A software framework for nonlinear optimization and optimal control,” *Mathematical Programming Computation*, vol. 11, no. 1, pp. 1–36, 2019.
- [21] M. J. Risbeck and J. B. Rawlings, “MPCTools: Nonlinear model predictive control tools for CasADi (octave interface),” 2016. [Online]. Available: <https://bitbucket.org/rawlings-group/octave-mpctools>
- [22] T. Yucelen and E. Johnson, “Command governor-based adaptive control,” in *AIAA Guidance, Navigation, and Control Conference*, 2012, p. 4618.
- [23] G. Chowdhary and E. Johnson, “Concurrent learning for convergence in adaptive control without persistency of excitation,” in *49th IEEE Conference on Decision and Control (CDC)*. IEEE, 2010, pp. 3674–3679.
- [24] G. Chowdhary, T. Yucelen, M. Mühlegg, and E. N. Johnson, “Concurrent learning adaptive control of linear systems with exponentially convergent bounds,” *International Journal of Adaptive Control and Signal Processing*, vol. 27, no. 4, pp. 280–301, 2013.
- [25] M. Herceg, M. Kvasnica, C. N. Jones, and M. Morari, “Multi-Parametric Toolbox 3.0,” in *Proc. of the European Control Conference*, Zürich, Switzerland, July 17–19 2013, pp. 502–510.
- [26] J. Snyders, “On the error matrix in optimal linear filtering of stationary processes,” *IEEE Trans. on Info. Theory*, vol. 19, no. 5, pp. 593–599, 1973.
- [27] S. Lang, *Undergraduate analysis*. Springer Science & Business Media, 1996.

APPENDIX

Proof: [Proof of Lemma 1] Since $0 \leq \|g(x_t)\tilde{u}_t\| \leq \delta_g \|\tilde{u}_t\|$, it is sufficient to prove $\|\tilde{u}_t\| \rightarrow 0$ as $t \rightarrow \infty$. Let us define $V_a(K_t) := \text{tr}(\tilde{K}_t^\top \Gamma^{-1} \tilde{K}_t)$, then from [26, Lemma 6], we get that

$$\lambda_{\min}(\Gamma^{-1}) \text{tr}(\tilde{K}_t \tilde{K}_t^\top) \leq V_a(K_t) \leq \lambda_{\max}(\Gamma^{-1}) \text{tr}(\tilde{K}_t \tilde{K}_t^\top). \quad (21)$$

Let us compute the difference

$$\begin{aligned} \Delta_a(K_t) &:= V_a(K_{t+1}) - V_a(K_t) = \text{tr}(\tilde{K}_{t+1}^\top \Gamma^{-1} \tilde{K}_{t+1}) - \text{tr}(\tilde{K}_t^\top \Gamma^{-1} \tilde{K}_t) \\ &= \frac{\text{tr}((\Gamma \tilde{u}_t \phi(x_t)^\top)^\top \tilde{u}_t \phi(x_t)^\top)}{(\varepsilon + \|\phi(x_t)\|^2)^2} - \frac{2 \text{tr}(\tilde{K}_t^\top \tilde{u}_t \phi(x_t)^\top)}{\varepsilon + \|\phi(x_t)\|^2} \\ &= \frac{\text{tr}(\|\phi(x_t)\|^2 \tilde{u}_t^\top \Gamma \tilde{u}_t)}{(\varepsilon + \|\phi(x_t)\|^2)^2} - \frac{2 \text{tr}(\tilde{u}_t \tilde{u}_t^\top)}{\varepsilon + \|\phi(x_t)\|^2} \\ &\leq -\frac{\tilde{u}_t^\top (2I - \Gamma) \tilde{u}_t}{\varepsilon + \|\phi(x_t)\|^2}. \end{aligned} \quad (22)$$

Since $\lambda_{\max}(\Gamma) < 2$, $2I - \Gamma > 0$. It is clear from (22) that

$$\begin{aligned} V_a(K_T) - V_a(K_0) &\leq -\sum_{t=0}^{T-1} \frac{\tilde{u}_t^\top (2I - \Gamma) \tilde{u}_t}{\varepsilon + \|\phi(x_t)\|^2} \\ V_a(K_T) &\leq V_a(K_0) - \sum_{t=0}^{T-1} \frac{\tilde{u}_t^\top (2I - \Gamma) \tilde{u}_t}{\varepsilon + \|\phi(x_t)\|^2} \end{aligned}$$

$$V_a(K_T) \leq V_a(K_0) \text{ for all } T, \quad (23)$$

which in turn implies that

$$\begin{aligned} \lim_{T \rightarrow \infty} \sum_{t=0}^{T-1} \frac{\tilde{u}_t^\top (2I - \Gamma) \tilde{u}_t}{\varepsilon + \|\phi(x_t)\|^2} &\leq \lim_{T \rightarrow \infty} (V_a(K_0) - V_a(K_T)) \\ \sum_{t=0}^{\infty} \frac{\tilde{u}_t^\top (2I - \Gamma) \tilde{u}_t}{\varepsilon + \|\phi(x_t)\|^2} &\leq V_a(K_0). \end{aligned}$$

Therefore, $\frac{s_t}{(\varepsilon + \|\phi(x_t)\|^2)^{1/2}} \in \ell_2$, where $s_t = (\tilde{u}_t^\top (2I - \Gamma) \tilde{u}_t)^{\frac{1}{2}}$, which implies $\frac{s_t}{(\varepsilon + \|\phi(x_t)\|^2)^{1/2}} \rightarrow 0$. Since ε is a constant and $\|\phi(\cdot)\|$ is uniformly bounded, the Key Technical Lemma [19, Lemma 6.2.1] trivially implies $s_t \rightarrow 0$. Since $0 \leq (\lambda_{\min}(2I - \Gamma))^{1/2} \|\tilde{u}_t\| \leq s_t$, [27, Theorem 2.7] ensures $\|\tilde{u}_t\| \rightarrow 0$. ■

Proof: [Proof of Lemma 2] It is clear from (23) and (21) that $\lambda_{\min}(\Gamma^{-1}) \|\tilde{K}_t\|_F^2 \leq \lambda_{\max}(\Gamma^{-1}) \|\tilde{K}_0\|_F^2$. Therefore, if $K_0 = \mathbf{0}$, then $\tilde{K}_0 = W$, which in turn implies

$$\|\tilde{K}_t\|_F^2 \leq \frac{\lambda_{\max}(\Gamma)}{\lambda_{\min}(\Gamma)} \|W\|_F^2. \quad (24)$$

Therefore,

$$\|u_t^a\| \leq \|\tilde{u}_t\| + \|W\phi(x_t)\| \leq \|\tilde{K}_t\|_F \delta_\phi + \|W\|_F \delta_\phi \leq u_{\max}^a. \quad \blacksquare$$

Proof: [Proof of Lemma 3] The existence of $c_1 > 0$ can be proved similarly as in [8, Proposition 2]. In order to prove the existence of $c_2 > 0$, we utilize Lipschitz continuity of f and g . Since $V_m(x_t) \leq \min_{(u_{t+i|t})_0^{N-1}} V(x_t, (u_{t+i|t})_0^{N-1})$, we can show that $V_m(x_t) \leq V(x_t, (u_{t+i|t}^r)_0^{N-1}) = x_{t+N|t}^\top Q_f x_{t+N|t} + \sum_{i=0}^{N-1} (x_{t+i|t} - x_{t+i}^r)^\top Q(x_{t+i|t} - x_{t+i}^r) \leq \lambda_{\max}(Q_f) \|x_{t+N|t}\|^2 + \sum_{i=0}^{N-1} \lambda_{\max}(Q) \|x_{t+i|t} - x_{t+i}^r\|^2$. Further,

$$\begin{aligned} x_{t+i|t} - x_{t+i}^r &= f(x_{t+i-1|t}) - f(x_{t+i-1}^r) \\ &\quad + (g(x_{t+i-1|t}) - g(x_{t+i-1}^r)) u_{t+i-1}^r \\ \|x_{t+i|t} - x_{t+i}^r\| &\leq (L_f + L_g \|u_{t+i-1}^r\|) \|x_{t+i-1|t} - x_{t+i-1}^r\| \\ &\leq \bar{L} \|x_{t+i-1|t} - x_{t+i-1}^r\| \leq \bar{L}^i \|x_t - x_t^r\|, \end{aligned}$$

where $\bar{L} = L_f + L_g u_{\max}^r$. Since $x_{t+N}^r = \mathbf{0}$ for all t , there exists $c_2 = \bar{L}^N \lambda_{\max}(Q_f) + \sum_{i=0}^{N-1} \bar{L}^i \lambda_{\max}(Q)$. ■

Proof: [Proof of Theorem 1] We compute a bound on $\Delta_m(x_t) = V_m(x_{t+1}) - V_m(x_t)$ as follows:

$$\begin{aligned} \Delta_m(x_t) &= V_m(x_{t+1|t}) - V_m(x_t) + V_m(x_{t+1}) - V_m(x_{t+1|t}) \\ &\leq -c_s(x_t, u_t^m) + V_m(x_{t+1}) - V_m(x_{t+1|t}) \quad \text{by Lemma 5} \\ &\leq -c_s(x_t, u_t^m) + c_3 \|x_{t+1} - x_{t+1|t}\| \quad \text{by Lemma 4} \\ &= -c_s(x_t, u_t) + c_3 \|g(x_t)\tilde{u}_t\|. \end{aligned} \quad (25)$$

Since $\|g(x_t)\tilde{u}_t\| \leq w'_{\max}$ is bounded for all t by Remark 2, the dynamical system (1) is ISS under the control computed by the Algorithm 1. Further, by Lemma 1, $\|g(x_t)\tilde{u}_t\| \rightarrow 0$ as $t \rightarrow \infty$, which implies $\|x_t\| \rightarrow 0$ as $t \rightarrow \infty$. ■

Proof: [Proof of Proposition 1] Since $x_N^r = \mathbf{0}$ due to (10), $\|g(x_{t+N}^r)\| = 0$ for all t . We begin with the following

candidate Lyapunov function to see the stability of our algorithm

$$V(x_t, K_t) = V_m(x_t) + c_3 \left(\sum_{i=t}^{t+N-1} \|g(x_i^r)\| \|\tilde{u}_i\| \right) + aV_a(K_t), \quad (26)$$

where $a \geq \frac{(c_3 L_g)^2 (\varepsilon + \delta_\phi^2)}{4\lambda_{\min}(Q)(2 - \lambda_{\max}(\Gamma))}$. We compute the Lyapunov difference $\Delta(x_t, K_t) := V(x_{t+1}, K_{t+1}) - V(x_t, K_t)$ as follows

$$\Delta(x_t, K_t) = \Delta_m(x_t) - c_3 \|g(x_t^r)\| \|\tilde{u}_t\| + a\Delta_a(K_t),$$

where $\Delta_m(x_t)$ is defined in (25) and $\Delta_a(K_t)$ in (22). Let us first consider $\Delta_m(x_t) - c_3 \|g(x_t^r)\| \|\tilde{u}_t\|$,

$$\begin{aligned} \Delta_m(x_t) - c_3 \|g(x_t^r)\| \|\tilde{u}_t\| &\leq -c_s(x_t, u_t^m) + c_3 \|g(x_t) \tilde{u}_t\| \\ &\quad - c_3 \|g(x_t^r)\| \|\tilde{u}_t\|, \\ &\leq -c_s(x_t, u_t^m) + c_3 \|g(x_t)\| \|\tilde{u}_t\| - c_3 \|g(x_t^r)\| \|\tilde{u}_t\|, \\ &= -c_s(x_t, u_t^m) + c_3 (\|g(x_t)\| - \|g(x_t^r)\|) \|\tilde{u}_t\|, \\ &\leq -c_s(x_t, u_t) + c_3 (\|g(x_t) - g(x_t^r)\|) \|\tilde{u}_t\|, \\ &\leq -c_s(x_t, u_t^m) + c_3 L_g \|x_t - x_t^r\| \|\tilde{u}_t\|, \\ &\leq -c_s(x_t, u_t^m) + \lambda_{\min}(Q) \|x_t - x_t^r\|^2 + \frac{(c_3 L_g)^2}{4\lambda_{\min}(Q)} \|\tilde{u}_t\|^2, \end{aligned}$$

where the last inequality is due to the Peter-Paul inequality. Therefore,

$$\begin{aligned} \Delta(x_t, K_t) &\leq -\|x_t - x_t^r\|_{(Q - \lambda_{\min}(Q)I)}^2 - \|u_t^m - u_t^r\|_R^2 \\ &\quad - \frac{\tilde{u}_t^\top \left(a(2I - \Gamma) - \frac{(c_3 L_g)^2}{4\lambda_{\min}(Q)} (\varepsilon + \|\phi(x_t)\|^2) I \right) \tilde{u}_t}{\varepsilon + \|\phi(x_t)\|^2} \end{aligned} \quad (27)$$

Due to the choice of a , we have $a(2I - \Gamma) - \frac{(c_3 L_g)^2}{4\lambda_{\min}(Q)} (\varepsilon + \|\phi(x_t)\|^2) I > 0$, which in turn implies $\Delta(x_t, K_t) \leq 0$ for all t . The rest of the result follows from [9, Theorem 1]. ■